

PRODUCT DESCRIPTION

- Illumination of niches of any thickness, depth and height
- Can be mounted at any distance from the edge of the niche
- Easy servicing

FINISH :

Non anodized (raw) 

*Custom colors available upon request



Fill empty fields

| | |
|--------------|--|
| Product nr. | |
| Fixture type | |
| Company | |
| Job name | |
| Date | |

TECHNICAL SPECIFICATION

Application

- ambient lighting of architectural niches located a short distance from the wall
- the light is directed to the ceiling

Assembly

- using screws appropriately selected for the mounting surface


Additional information

- can be mounted horizontally or vertically
- the light source is placed in the easily disassembled ONISA lighting fixture

AVAILABLE LENGTHS

| Ref. nr. | surface finish | available lengths |
|-----------|--------------------|-------------------|
| 18028NA_1 | Non anodized (raw) | 1000 mm |
| 18028NA_2 | Non anodized (raw) | 2000 mm |

TECHNICAL DRAWING




RELATED PRODUCTS

COVERS





KA clear Cover
Ref: 17036

110°




KA frosted Cover
Ref: 17035

110°





HS clear Cover
Ref: 1370

110°




KA-PRO frosted Cover
Ref: 17064

110°





KA-COM clear Cover
Ref: 17122

100°




HS frosted Cover
Ref: 1369

110°




KA-PRO clear Cover
Ref: 17065

100°



KA-COM frosted Cover
Ref: 17121

110°



LIGER frosted Cover
Ref: 17037

120°



END CAPS




ONISA grey End
cap
Ref: 24100


ACCESSORIES




8,8x1,2 Gland
Ref: 00802




ZM-NA-120
Connector
Ref: 42729




ZM-NA-135
Connector
Ref: 42725




ZM-NA-180
Connector
Ref: 42724



ZM-NA-90
Connector
Ref: 42723



ZM-NA-PION-135
Connector
Ref: 42727



ZM-NA-PION-90
Connector
Ref: 42726

MARKETING MATERIALS



Display
P230-90118M
Ref: 90118M



Presentation set 5
Ref: 90124