


## PRODUCT DESCRIPTION

- Concealed source of light
- Easy disassembly
- Simple design

### FINISH :

Silver anodized ☐

\*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

## TECHNICAL SPECIFICATION

### Application

- illumination of walking routes and stairs

### Assembly

- in the groove with mounting adhesive or springs


### Additional information

- the light reflection chamber may be open or covered with a frosted lens

## AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
W4826ANODA_1	Silver anodized	1000 mm
W4826ANODA_2	Silver anodized	2000 mm
W4826ANODA_3	Silver anodized	3000 mm

## TECHNICAL DRAWING




## RELATED PRODUCTS


### COVERS




KA clear Cover  
Ref: 17036




KA frosted Cover  
Ref: 17035




DHS clear Cover  
Ref: 17063




HS clear Cover  
Ref: 1370




KA-PRO frosted  
Cover  
Ref: 17064




DHS frosted  
Cover  
Ref: 17052




KA-COM clear  
Cover  
Ref: 17122




HS frosted Cover  
Ref: 1369



KA-PRO clear  
Cover  
Ref: 17065



KA-COM frosted  
Cover  
Ref: 17121



LIGER frosted  
Cover  
Ref: 17037

### END CAPS




OBIT metalized  
End cap  
Ref: 24136



OBIT grey End  
cap  
Ref: 24127


### ACCESSORIES



KMA Spring  
Ref: 00838V1



8,8x1,2 Gland  
Ref: 00802



ZM-180  
Connector  
Ref: 42717

MARKETING MATERIALS



Display  
P230-90078M  
Ref: 90078M



Presentation set 5  
Ref: 90124