


PRODUCT DESCRIPTION

- Ability to create a line of light
- Easy assembly and disassembly
- Can be combined into straight and broken linear runs
- Good heat dissipation

FINISH :

Silver anodized ☐

*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- main lighting installation with high luminous efficiency, especially in existing drywall structures

Assembly

- with springs for grooves


Additional information

- wide flange not requiring a precise groove

AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
B6597ANODA_1	Silver anodized	1000 mm
B6597ANODA_2	Silver anodized	2000 mm
B6597ANODA_3	Silver anodized	3000 mm

TECHNICAL DRAWING




RELATED PRODUCTS


COVERS




SZER clear Cover
Ref: 17082



SZER frosted Cover
Ref: 17081




SZER-FALA
frosted Cover
Ref: 17085



SZER-L frosted
Cover
Ref: 17083

80°



SZER-STRUKTURA
frosted Cover
Ref: 17084

END CAPS




SEKODU
metalized End
cap
Ref: 24108



SEKODU grey End
cap
Ref: 24107


ACCESSORIES




KMA Spring
Ref: 00838V1




Gland M8X1
Ref: 42265




ZM-120
Connector
Ref: 42728




ZM-135
Connector
Ref: 42720



ZM-180
Connector
Ref: 42717



ZM-90 Connector
Ref: 42716



ZM-PION-135
Connector
Ref: 42719



ZM-PION-90
Connector
Ref: 42718

MARKETING MATERIALS



Presentation set 4
Ref: 90054