


## PRODUCT DESCRIPTION

- Ability to create a line of light
- Easy assembly and disassembly
- Can be combined into straight and broken linear runs
- Simple design

### FINISH :

Silver anodized ☐

\*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

## TECHNICAL SPECIFICATION

### Application

- main lighting installation with high luminous efficiency in drywall structures

### Assembly

- inserted into a mounting extrusion using securing springs
- "block springs" must be purchased separately


### Additional information

- minimal flange effectively masks the mounting gap


## AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B6595ANODA_1	Silver anodized	1000 mm
B6595ANODA_2	Silver anodized	2000 mm
B6595ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING



## RELATED PROFILES




TESE Profile  
Ref: 18021V1




TES-16 Profile  
Ref: 18022V1

## RELATED PRODUCTS


### COVERS




SZER clear Cover  
Ref: 17082



SZER frosted Cover  
Ref: 17081




SZER-FALA  
frosted Cover  
Ref: 17085



SZER-L frosted  
Cover  
Ref: 17083

80°



SZER-STRUKTURA  
frosted Cover  
Ref: 17084

### END CAPS




SEKOMA grey End  
cap  
Ref: 24109



SEKOMA  
metalized End  
cap  
Ref: 24110


### ACCESSORIES




BLOK Spring  
Ref: 42731V1




Gland M8X1  
Ref: 42265




ZM-120  
Connector  
Ref: 42728




ZM-135  
Connector  
Ref: 42720



ZM-180  
Connector  
Ref: 42717



ZM-90 Connector  
Ref: 42716



ZM-PION-135  
Connector  
Ref: 42719



ZM-PION-90  
Connector  
Ref: 42718

## MARKETING MATERIALS



Presentation set 4  
Ref: 90054