


PRODUCT DESCRIPTION

- High luminous efficiency
- Ability to create a line of light
- Easy mounting with numerous methods
- Can be combined into straight and broken linear runs

FINISH :

Silver anodized ☐

*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- high performance, main lighting installation
- construction of surface mount or suspended lighting fixtures as main and work lighting (corridors, halls, workshops, ballrooms, etc.)

Assembly

- with surface springs, screws, various suspension systems or on a mounting strip


Additional information

- can be fitted with several different types of covers


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B6593ANODA_1	Silver anodized	1000 mm
B6593ANODA_2	Silver anodized	2000 mm
B6593ANODA_3	Silver anodized	3000 mm

TECHNICAL DRAWING




RELATED PROFILES



TESPO Profile
Ref: 18020


RELATED PRODUCTS

COVERS




SZER clear Cover
Ref: 17082

80°




SZER frosted Cover
Ref: 17081

80°




SZER-FALA
frosted Cover
Ref: 17085




SZER-L frosted Cover
Ref: 17083

110°




SZER-STRUKTURA
frosted Cover
Ref: 17084

END CAPS




SEPOD metalized
End cap
Ref: 24106

ACCESSORIES



UCHO-ZM Hanger
Ref: 42512



ZM Block
Ref: 42520



FI-10-ZM-P
Fastener
Ref: 42244



FI-10-ZM-W
Fastener
Ref: 42242




PUSZ-LIN-ZM
Fastener
Ref: 42256




PUSZ-PRET-ZM
Fastener
Ref: 42250




Gland M8X1
Ref: 42265




ZM-120
Connector
Ref: 42728




ZM-135
Connector
Ref: 42720




ZM-180
Connector
Ref: 42717



ZM-90 Connector
Ref: 42716



ZM-PION-135
Connector
Ref: 42719



ZM-PION-90
Connector
Ref: 42718

MARKETING MATERIALS



Display
P230-90071M
Ref: 90071M



Presentation set 4
Ref: 90054