

## PRODUCT DESCRIPTION

- Ability to create a line of light
- Concealed aluminum components
- Can be mounted in 16 mm thick drywall

### FINISH :

Non anodized (raw) 

\*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

## TECHNICAL SPECIFICATION

### Application

- create a line of light in walls and ceilings
- intended for 16mm thick drywall

### Assembly

- fixed in the gap using mounting adhesive
- extrusion wings covered with gypsum plaster
- The **TECH-22 Protective insert** ensures that the profile slot remains wide enough for the snap-in cover (its use is NECESSARY during mounting and finishing works)


### Additional information

- a TECH-22 protective insert that protects the inside of the profile during mounting is available

## AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
B7823NA_1	Non anodized (raw)	1000 mm
B7823NA_2	Non anodized (raw)	2000 mm
B7823NA_3	Non anodized (raw)	3000 mm

TECHNICAL DRAWING




## RELATED PRODUCTS


### COVERS




LIGER-22 black  
Cover  
Ref: 17044




G-K semi-transparent  
Cover  
Ref: 00415




G-L clear Cover  
Ref: 17006




G-L semi-  
transparent Cover  
Ref: 17008




MUN-22 semi-  
transparent Cover  
Ref: 17042





LIGER-22 frosted  
Cover  
Ref: 17032V1




HS-22 clear Cover  
Ref: 17022



G-K frosted Cover  
Ref: 17007



G-L frosted Cover  
Ref: 00413



HS-22 frosted Cover  
Ref: 17011

### END CAPS




KOZUS grey End  
cap  
Ref: 24148


### ACCESSORIES




8,8x1,2 Gland  
Ref: 00802




L135 LIPOD  
Coupler  
Ref: \_




L135PW LIPOD  
Coupler  
Ref: \_




L135PZ LIPOD  
Coupler  
Ref: \_




L90 LIPOD  
Coupler  
Ref: \_




L90PW LIPOD  
Coupler  
Ref: \_




L90PZ LIPOD  
Coupler  
Ref: \_




T135L LIPOD  
Coupler  
Ref: \_




T135R LIPOD  
Coupler  
Ref: \_




T90 LIPOD  
Coupler  
Ref: \_




X135 LIPOD  
Coupler  
Ref: \_




X90 LIPOD  
Coupler  
Ref: \_




ZM-NA-120  
Connector  
Ref: 42729




ZM-NA-135  
Connector  
Ref: 42725




ZM-NA-180  
Connector  
Ref: 42724




ZM-NA-90  
Connector  
Ref: 42723



ZM-NA-PION-135  
Connector  
Ref: 42727



ZM-NA-PION-90  
Connector  
Ref: 42726



TECH-22  
protective insert  
Ref: 17124