


PRODUCT DESCRIPTION

- Combines several functions:
 - lighting fixture
 - frame for a stretched ceiling
- The extrusion has a channel adapted to attach standard harpoons used in stretched surfaces
- The FOLED system opens new possibilities of interior design

FINISH :

Non anodized (raw) 

*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- for building ceilings employing the stretch-film technology with integrated LED lighting
- forms the edge of the film and gives it a highly appealing finish

Assembly

- on surfaces (walls, ceilings, etc.), by means of bolts appropriately selected for the type of the mounting surface

Additional information


- intended for indoor use
- profiles can be connected with each other at an angle over 60 degrees
- fixture is flush with the plane of the film
- easy connection using "ZM CONNECTORS"
- compatible with the whole FOLED profile family

AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
B8333V1NA_1	Non anodized (raw)	1000 mm

Ref. nr.	surface finish	available lengths
B8333V1NA_2	Non anodized (raw)	2000 mm
B8333V1NA_3	Non anodized (raw)	3000 mm


TECHNICAL DRAWING



RELATED PROFILES




FOLED Profile
Ref: B8332V1




FOLED-BOK
profile
Ref: B8334V1

RELATED PRODUCTS


COVERS




FOLED frosted Cover
Ref: 17077V1



FOLED black
Cover
Ref: 17045



FOLED frosted
Cover
Ref: 17047



END CAPS



FOLED-W black
End cap
Ref: 24285




FOLED-W grey
End cap
Ref: 24277


ACCESSORIES




8,8x1,2 Gland
Ref: 00802




ZM-NA-120
Connector
Ref: 42729




ZM-NA-135
Connector
Ref: 42725




ZM-NA-180
Connector
Ref: 42724



ZM-NA-90
Connector
Ref: 42723



ZM-NA-PION-135
Connector
Ref: 42727



ZM-NA-PION-90
Connector
Ref: 42726

MARKETING MATERIALS



Display
P230-90112M
Ref: 90112M



Presentation set 7
Ref: 90126