

PRODUCT DESCRIPTION

- Possible to obtain a line of light
- A wide range of available accessories
- Possible to bend the profile

FINISH :

Silver anodized ☐

*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- construction of lighting fixtures for main or decorative lighting

Assembly

- suitable for mounting on flat surfaces, suspending from **DP** fasteners, for attaching to mounting systems and for fixing with mounting springs, to ARMSTRONG ceilings with the **AM-24** mounting bracket
- compatible with a group of profiles dedicated to drywall panels. It is designed for mounting in the **TEKNIK-ZM** and **TEKUS** profiles using **TEKNIK** latches

Number of latches:

Profile length	1 m	2 m	3 m
Number of TEKNIK latches	8	18	28

Additional information

- can be mounted in a groove made using a mounting extrusion
- a line of light obtainable with the **LIGER-22** cover and a LED strip with a minimum of 120 LEDs/meter
- GIZA-LL is designed for two or one 10 mm wide LED strip

Profile bending



Minimum internal radius	Minimum external radius
250 mm	350 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile
- internal radius - refers to the profile bent so that the cover is facing the inside of the arch
- external radius - refers to the profile bent so that the cover is facing the outside of the arch
- irregular curves are possible after consultation and individual quotation
- when bending anodized profiles, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius)


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C0758ANODA_1	Silver anodized	1000 mm
C0758ANODA_2	Silver anodized	2000 mm
C0758ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING




GIZA-LL profile and AM-24 mounting bracket
profil GIZA-LL z mocownikiem AM-24




GIZA-LL profile and GIP mounting bracket
profil GIZA-LL z mocownikiem GIP



GIZA-LL profile and REGIP-UV mounting bracket
profil GIZA-LL z mocownikiem REGIP-UV




GIZA-LL profile and REGIP-UV mounting bracket
profil GIZA-LL z mocownikiem REGIP-UV




GIZA-LL profile and REGIP-UV mounting bracket
profil GIZA-LL z mocownikiem REGIP-UV

RELATED PRODUCTS


COVERS




LIGER-22 black
Cover
Ref: 17044




G-L clear Cover
Ref: 17006




G-K semi-
transparent Cover
Ref: 00415




G-L semi-
transparent Cover
Ref: 17008




MUN-22 semi-
transparent Cover
Ref: 17042




LIGER-22 frosted
Cover
Ref: 17032V1
110°




HS-22 clear Cover
Ref: 17022



G-K frosted Cover
Ref: 17007



G-L frosted Cover
Ref: 00413




HS-22 frosted Cover
Ref: 17011

END CAPS




GIZA-LL grey End
cap
Ref: 24281

ACCESSORIES



UCHO-ZM Hanger
Ref: 42512



ZM Block
Ref: 42520



BZP Head
Ref: 42213



BZP-ZO Head
Ref: 42214



BZP-ZZ Head
Ref: 42215



FI-10-ZM-P
Fastener
Ref: 42244



FI-10-ZM-W
Fastener
Ref: 42242




PUSZ-LIN-ZM
Fastener
Ref: 42256




PUSZ-PRET-ZM
Fastener
Ref: 42250



TEKNIK Latch
Ref: 24003



AM-24 Mounting
bracket
Ref: 24235



GIP Mounting
bracket
Ref: 24332



GIP-UV Mounting
bracket
Ref: 24310



REGIP-UV
Mounting bracket
Ref: 24271




DP Fastener
Ref: 00644



DP-ZO Fastener
Ref: 00649



DP-ZZ Fastener
Ref: 00651




GP Spring
Ref: 00293



M11 Fastener set
Ref: 42609



M12 Fastener set
Ref: 42610



M13 Fastener set
Ref: 42611



W1 Fastener set
Ref: 42602



W2 Fastener set
Ref: 42603




W6 Fastener set
Ref: 42604




W7 Fastener set
Ref: 42605




Gland M8X1
Ref: 42265




ZM-120
Connector
Ref: 42728




ZM-135
Connector
Ref: 42720




ZM-180
Connector
Ref: 42717



ZM-90 Connector
Ref: 42716



ZM-PION-135
Connector
Ref: 42719



ZM-PION-90
Connector
Ref: 42718

MARKETING MATERIALS



Display
P230-90113M
Ref: 90113M



TEKNIK-ZM Foam
Ref: 70266



GIZA-LL Foam
Ref: 70263



Display
P230-90156M
Ref: 90156M