


## DESCRIERE PRODUS

- Mounting strip facilitates mounting and running cables
- Can be suspended or mounted directly to the surface
- For service purposes, the lighting fixture can be easily detached from the mounting strip
- Lighting fixtures can be combined to form lighting strings

DISPONIBIL ÎN VARIANTELE :

Anodizat argintiu ☐

\*Alte culori disponibile la cerere



Completați câmpurile goale

Nr produs	
Tip corp de iluminat	
Companie	
Proiect	
Data	

## SPECIFICAȚII TEHNICE

### Activele de produs

- linear suspended or surface-mounted lighting fixtures

### Montaj

- with a mounting strip directly to the mounting surface or using the suspension systems offered by KLUS

### Informații suplimentare

- mounting strip used also as a cable duct

The 3035 profile consists of two profiles of the [3035-O](#) lighting fixture and a mounting profile connected by means of [BLOCK](#) springs in the amount of: BLOK

3035 profile length	1 m	2 m	3 m
Number of BLOCK springs	4	6	8


### The springs in the given amounts are included in the set



- For lighting fixtures no longer than 70 cm, there is no need to use a block springs, provided that two end caps are used to protect the profile against unfastening.
- The size of the profile enables mounting two LED strips with a width of 10mm or 3 strips with a width of 8mm.
- Line of light obtainable at 120 LED/m 9.6W.


## LUNGIMI DISPONIBILE

Nr. ref.	Finisaj de suprafață	lungimi disponibile
18039ANODA_1	Anodizat argintiu	1000 mm
18039ANODA_2	Anodizat argintiu	2000 mm
18039ANODA_3	Anodizat argintiu	3000 mm


## DESEN TEHNIC



**PRODUSE ASEMĂNĂTOARE****CAPACE**3035 Cover frosted  
Ref: 17141**CAPACE DE CAPĂȚ**3035 End cap  
Ref: 24273**ACCESORII**FI-10-ZM-P  
Fastener  
Ref: 42244FI-10-ZM-W  
Fastener  
Ref: 42242PUSZ-LIN-ZM  
Fastener  
Ref: 42256PUSZ-PRET-LEB  
Fastener  
Ref: 42253PUSZ-PRET-ZM  
Fastener  
Ref: 42250BZP Head  
Ref: 42213BZP-ZO Head  
conductive  
Ref: 42214BZP-ZZ Head  
conductive  
Ref: 42215



UCHO-ZM  
Fastener  
Ref: 42512




ZM Block  
Ref: 42520




DP-ZO Fastener  
Ref: 00649



DP-ZZ Fastener  
Ref: 00651



BLOK Spring  
Ref: 42731V1



GP Spring  
Ref: 00293




M12 Mounting set  
Ref: 42610




M13 Mounting set  
Ref: 42611




DES Gland  
Ref: 42265




ZM-120  
Connector  
Ref: 42728




ZM-135  
Connector  
Ref: 42720




ZM-180  
Connector  
Ref: 42717




ZM-90 Connector  
Ref: 42716



ZMPION-135  
Connector  
Ref: 42719



ZMPION-90  
Connector  
Ref: 42718



ARMSTRONG  
Isolating bases  
Ref: 42712

## MATERIALE MARKETING



Display  
P230-90109M  
Ref: 90109M



Presentation set 7  
Ref: 90126



3035 Foam  
Ref: 70268